

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application:

**Listing of Claims:**

- 5     1 (currently amended): A light source comprising:  
a prism ~~having a plurality of optieal planes~~ for redirecting light, a  
10     cross section of the prism having a triangular shape, and the  
prism comprising first, second, and third optical planes; and  
first and second a plurality of beam generators for generating light beams and  
projecting the light beams to the optical planes, wherein light beams from the  
15     first beam generator enter the prism through the first optical plane, are totally  
reflected at the second optical plane, and leave the prism through the third  
optical plane, light beams from the second beam generator enter the prism  
through the second optical plane, are totally reflected at the first optical plane,  
20     and leave the prism through the third optical plane, and the light beams  
leaving the third optical plane combine the beam generators enter the prism  
through one of the optical planes, and the other optical planes reflect the light  
beams for collecting the light beams to form an enhanced light beam.
- 20     2-12 (cancelled).
- 13 (original): The light source of claim 1 being installed in a projector  
and being used to provide light to the projector, wherein the  
projector comprises:  
25     a light pipe for uniformizing light received from the light source;  
and  
an image device for processing the uniformized light from the light pipe and for  
projecting the processed light to form an image, wherein the light pipe is  
positioned between the prism and the image device.

30

14 (original): The light source of claim 13 wherein the projector further comprises a color wheel located between the prism and the light pipe for filtering the enhanced light beam so as to output beams with different colors by turning.

- 5 15 (original): The light source of claim 1 wherein each of the beam generators comprises:  
a light device for radiating light; and  
a light collector for collecting the light radiated from the light device to form the light beam.

10

16 (currently amended): A projector comprising:

a light source comprising:

15 ~~having a prism and a plurality of beam generators, the prism having a plurality of optical planes, the plurality of beam generators being used for generating light beams and projecting the light beams to the optical planes, wherein light beams from the beam generators enter the prism through one of the optical planes, and the other optical planes reflect the light beams for collecting the light beams to form an enhanced light beam;~~

20

a prism for redirecting light, a cross section of the prism having a triangular shape, and the prism comprising first, second, and third optical planes; and

25

first and second beam generators for generating light beams and projecting the light beams to the optical planes, wherein light beams from the first beam generator enter the prism through the first optical plane, are totally reflected at the second optical plane, and leave the prism through the third optical plane, light beams from the second beam generator enter the prism through the second optical plane, are totally reflected at the first optical plane, and leave the prism through the third optical plane, and the light beams leaving the third optical plane combine to form an enhanced light beam;

30

a light pipe for uniformizing the enhanced light beam received from the light

source; and

an image device for processing the uniformized light from the light pipe and for

projecting the processed light to form an image;

wherein the light pipe is positioned between the prism and the image device.

5

17 (original): The projector of claim 16 further comprising a color wheel located between the prism and the light pipe for filtering the enhanced light beam so as to output beams with different colors by turning.

10

18-20 (cancelled).

21 (previously presented): The light source of claim 1 wherein the prism is formed as a monolithic structure.

15

22 (previously presented): The projector of claim 16 wherein the prism is formed as a monolithic structure.